



BANGALORE WATER SUPPLY AND SEWERAGE BOARD

2nd Floor, Cauvery Bhavan, K.G.Road, Bangalore-560009

No.BWSSB/EIC/ACE(M)-III/DCE(M)-I/TA(M)-I/ 13292 / 2013-14 Dated: 17/3/2014

To ✓

M/s.United Oxygen Company Pvt Ltd.,
No. 10, Museum Road,
Pride Elite, 4th Floor,
Bangalore-560001

Sir,

Sub: Issue of No Objection Certificate for the proposed Residential Apartment at Khatha No.30, Sy No.28/2, Hoodi village, Whitefield main road, K.R Puram, Bangalore East Taluk, Bangalore.

- Ref : 1) Requisition letter from M/s.United Oxygen Company Pvt Ltd dt:30.09.13
2) Proceedings review meeting dt: 05.02.2014
3) No. BWSSB/EECMC-II/AEECMC-II-I/PB/ 2448/13-14 dt: 19.11.13
4) O.N. approved by 'C' dt: 19.2.2014.
5) File No. 1018.

Please find herein enclosed a copy of plan endorsed for '**No objection Certificate**' from BWSSB for providing water supply and underground facilities, subject to the following conditions.

- 1) The water supply to the premises / layouts / society will be provided subject to the availability of water prevailing at the time of sanctioning the connection.
- 2) The party has to bear the cost of line estimate for both water supply and U.G.D lines, if there is no network near by the premises! Also, if the existing water supply and UGD lines needs up gradation, the cost towards upgrading the existing system has also to be borne by the developers.
- 3) The party has to pay the necessary prorata and other charges towards the building as specified by the Board prevailing at the time of sanction.
- 4) Rain water should not be let into the Board sewer line, which is against to the BWSSB Act.
- 5) The party should not provide sanitary points in cellar or Basement floor.
- 6) The applicant must create suitable structure/facility for rain water harvesting and ground water recharge.
- 7) The quantum of water supply and pressure will not be guaranteed.
- 8) Tertiary treated water available at BWSSB sewage treatment plants should be used for construction purpose in order to conserve potable water or otherwise they should make their own arrangements.
- 9) The party has to make arrangement for treatment plant for treating the waste water generated in their premises to achieve the standards as per the Annexures-I, II & III are enclosed herewith.
- 10) The applicant should make provisions for dual piping system to distinguish the use of the treated water for flushing, gardening and other purposes.
Drinking water pipe colour - Blue
Treated water pipe colour - Light Orange
- 11) The applicant should not allow the untreated sewage out of the premises. The applicant is solely responsible for any environmental pollution.

DD NO: 022718 | 06-03-14 | Bank of Maharashtra 1018

ಬೆಂಗಳೂರು ನೀರು ಸರಬರಾಜು ಮತ್ತು ಒಳಚರಂಡಿ ಮಂಡಳಿ



ಕ.ಅ.ಸ. ಪ್ರಪತ್ರ ೧ (ಅನುಚ್ಛೇದ ೬) ಹಣ ಸ್ವೀಕರಿಸಿದ ಬಗ್ಗೆ ಸ್ವೀಕೃತಿ ಪತ್ರ

Office of the Assistant Controller (Accounts)

Bangalore Water Supply and Sewerage Board,

ಇವರ ಕಛೇರಿ

1st Floor, Cauvery Pavilion
Bangalore-560 002

E N° 0013284

M/s. United Oxygen Company Pvt. Ltd.,

No. 10, Museum Road,

Pride Elite, 4th floor,

Bangalore - 560001.

ದಿನಾಂಕ 07/02/14

ಇದಕ್ಕಾಗಿ NOC [CMC Area]

ರೂಪಾಯಿಗಳನ್ನು 11,56,300/-

Rs. Eleven Lakh Fifty Six Thousand Three Hundred Only

ಇವರಿಂದ ಸ್ವೀಕರಿಸಲಾಗಿದೆ ಮತ್ತು ನಗದು ಪುಸ್ತಕದ

ಸಂಖ್ಯೆಯ ಪುಟದಲ್ಲಿ

ನೇ

ಬಾಬಿನಲ್ಲಿ

ರಂದು ಜಮಾ ಮಾಡಲಾಗಿದೆ.

ನಗದು ಗುಮಾಸ್ತ

ಕಛೇರಿಯ ಮುಖ್ಯಾಧಿಕಾರಿ

ಖಾಸುಕ ನಿಯಂತ್ರಕರು (ಲೆಕ್ಕಾಣಿ)

ಬಿ.ಇ.ಸಂ, ಬೆಂಗಳೂರು.




ಬೆಂಗಳೂರು ನೀರು ಸರಬರಾಜು ಮತ್ತು ಒಳಚರಂಡಿ ಮಂಡಳಿ
BANGALORE WATER SUPPLY AND SEWERAGE BOARD
Greater Bangalore Water Supply & Sanitation Project
(Challan for payment for Beneficiary Capital Contribution)

1018

BBMP ZONE - DEPOSITOR'S COPY
ಬಿ.ಬಿ.ಮ.ಪಾ ವಲಯದ ಹೆಸರು ಪಾವತಿದಾರರ ಪ್ರತಿ
A/c No. 912020049715028

Name of the Bank : AXIS BANK				
1	Name of the Branch : ಶಾಖೆಯ ಹೆಸರು			
2	Name of the BBMP ZONE ಬಿ.ಬಿ.ಮ.ಪಾ ವಲಯದ ಹೆಸರು			
3	Name of the Owner ಆಸ್ತಿದಾರರ ಹೆಸರು U S I T E C O R P T R A S T			
4	Details of Property : ಆಸ್ತಿಯ ವಿವರ:			
a)	House / Flat No. / ಮನೆ ಅಥವಾ ಫ್ಲಾಟ್ ಸಂಖ್ಯೆ -			
b)	Site No. ಜಾಗದ ಸಂಖ್ಯೆ 30			
c)	Ward No. : ವಾರ್ಡ್ ಸಂಖ್ಯೆ -			
d)	Khata No. / ಖಾತಾ ಸಂಖ್ಯೆ 30			
e)	Name of the Locality / ಪ್ರದೇಶದ ಹೆಸರು Hoodi			
5	Address of Property : ಆಸ್ತಿಯ ವಿಳಾಸ: 30 Hoodi Village White Field main road BANGALORE EAST			
Dimension : 42592.81 Sqft				
No. of Properties : 01				
Contribution Amount 83,12,000.00				
Additional Payment -				
TOTAL AMOUNT PAID 83,12,000.00				
AMOUNT IN WORDS : Rupees Eight Three Lakh Twenty Two Thousand Only				
Date and Seal Signature of the Remitter				
Signature of the Receiving Authority				
DD. No.	Date	Bank	Branch	Amount
022717	6/3/14	Axis	Service	83,12,000
Cash Details		Rupees	Paise	
Denomination	Nos.			
1000				
500				
100				
50				
20				
10				
TOTAL				
(For instructions see overleaf / ಹೆಚ್ಚಿನ ಮಾಹಿತಿಗೆ ಪುಟ ತಿರುಗಿಸಿ ನೋಡಿ)				



Type covering letter

The disposal of trend leachates from Industrial into Board's sewers shall follow the standard namely

Sl. No	Parameters	
1	Suspended solids, mg/l, max	600
2	Dissolved solids (inorganic) mg-1, max	2100
3	PH value	5.5 to 9.0
4	Ammonical nitrogen (as N), mg/1,max	50
5	Total Kjeldahl nitrogen (as N0, mg/1, max	-
6	Biochemical oxygen demand (3 days at 27 C) max)mg/1)	350
7	Chemical oxygen demand, mg/, max	-
8	Arsenic (as As), mg/1, max	0.2
9	Mercury (as Hg), mg/1, max	0.01
10	Lead (as Pb), mg/1, max	1.0
11	Cadmium (as Cd), mg/1, max	1.0
12	Total Chromium (as Cr), mg/1, max	2.0
13	Oil and Grease mg/L, max	2.0
14	Hexavalent Chromium (as Cr + 6) mg/L, max	2
15	Selenium (as Se) mg/L, max	0.05
16	Copper (as Cu), mg/1, max	3.0
17	Zine (as Zn), mg/1, max	15
18	Nicket (as Ni), mg/1, max	3.0
19	Cyanide (as CN), mg/1, max	2.0
20	Chloride (as Cl), mg/1, max	1000
21	Fluoride (as F), mg/1, max	15
22	Phenolic compounds (as	5.0
23	Radioactive materials	
	a) Alpha emitters (Micro Curie/ml)max	10
	b) Beta emitters (Micro Curie/ml) max	10
24	Bio-assay test	90% survival of fish after 96 hours in 100 % effluent
25	Manganese (as Mn)mg/L	2
26	Iron (as Fe) Mg/L	3
27	Vanadium (as V)	0.2
28	Nitrate Nitrogen mg/L	-
29	Sulphates (as SO4) mg/L	1000
30	Chlorides (as CL) mg/L	600
31	Boron (as B) mg/L, max	2.0
32	Percent sodium max	3.0


Engineer-in-Chief

BWSSB

15/03/14

15/3/2011


ANNEXURE-II

Usage of existing ground water from borewells / open wells for any purpose including drinking is to be considered after ensuring its quality. The following specifications for drinking water quality shall apply for monitoring purpose, namely:-

Sl. No.	Parameters	IS 10500 : 1991 Desirable limit (Mg / l except for PH)
1	Arsenic	0.05
2	Cadmium	0.01
3	Chromium	0.05
4	Copper	0.05
5	Cyanide	0.05
6	Lead	0.05
7	Mercury	0.001
8	Nickel	-
9	Nitrate as NO ₃	45.0
10	PH	6.5-8.5
11	Iron	0.3
12	Total hardness (as CaCO ₃)	300.0
13	Chlorides	250
14	Dissolved solids	500
15	Phenolic compounds (as C ₆ H ₅ OH)	0.001
16	Zinc	5.0
17	Sulphate (as SO ₄)	200

ANNEXURE-III
Bio-Medical Waste

Liquid Waste	
Waste generated from laboratory and washing, cleaning, house-keeping and disinfecting activities	Disinfection by chemicals treatment using at least 1% hypochlorite solution or any other equivalent chemical reagent. It must be ensured that chemical treatment ensures disinfection before discharge into sewers
Chemical Waste	
Chemicals used in production of biological, chemicals used in disinfection, as insecticides, etc.,	Chemical treatment using at least 1% hypochlorite solution or any other equivalent chemical reagent. It must be ensured that chemical treatment ensures disinfection before discharge into sewers
Sewage generated in apartments treated with re-cycling plant / Sewerage Treatment Plant on land use	Should be treated BOD ₅ - 20 mg / L Suspended solids - 30 mg / L


15/03/14
Engineer-in-Chief
BWSSB
15/3/14